

# **ANTIFREEZE -40 (SUPER G11 GREEN)**

## **HIGH-QUALITY COOLANT LIQUID**

### **SPECIFICATIONS:**

**ASTM D3306** 

**ASTM D4985** 

#### **DESCRIPTION:**

High-quality coolant liquid for modern gasoline and diesel engines (including engines made of light metals) which are operated in a variety of seasonal and climatic conditions.

YUKO Antifreeze-40 Super G11 green will protect your engine from freezing, overheating, corrosion and damaging deposits. Provides reliable protection of the engine parts made of iron, aluminum, cooper and steel. Made on monoethylene glycol and special anti-corrosion additives basis, produced by BASF. Does not contain nitrites, amines, silicates, borates and phosphates.

Without glycerine.

#### **APROVAL:**

G11

#### **CONFORMITY:**

VW/Audi/Seat/Skoda TL 774-C (G 11)			BMW GS 9400		MAN 324 N		NF	MB 325.0/325.2		MTU (MTL 5048)
BS 6580	Porsche	Saab 6901 59	9	Opel GM QL	13010	00	Cum	nmins 85T8-2	Cum	mins CES 14603
Caterpillar	Detroit D	Detroit Diesel 7SE298		John Deere 8650-		Case	е	New Holland	Volvo	)

MACK 014617004

#### **BENEFITS:**

- Excellent corrosion protection;
- Reduces possible cavitation damage;
- Prevents foaming and compatible with rubber seals;
- Maintenance-free freezing and overheating protection due to high boiling point;
- Increased refrigerant strength;
- Corresponds to the best world G11 class liquids analogues.

Packing	Vendor code	Barcode
Canister plastic 10kg	019946	
Canister plastic 20kg	017738	482007024502
Barrel metal 2001	015422	482007024495
Canister plastic	015222	482007024446
Canister plastic 5l	015221	482007024449

#### **TYPICAL CHARACTERISTICS:**

Density at 20°C, g/cm³	1,040 - 1,100
Corrosive effect on metals	withstands
copper, brass, steel, cast, iron, aluminum	0,2
solder	0,3
Hydrogen index (pH), at 20°C	7,5-11
Alcalinity, cm³, min	2
Foam formation, cm³, max	30
Crystallization point, °C	-42
Color	green